

Company presentation







Primus: a virtual tour



Primus production facilities



Engineering

Showroom



Service







Primus: a virtual tour



Assembly line



Test line







History


- 1912 Foundation of Primus company
- 1970 Focus on Comercial Laundry Equipment
- 1986 Introduction of Soft Mounted Machines
- 1991 New Production Facilities in Czech Rep.
- 1992 Acquisition of a Barrier Washer and Ironer Manufacturer

Quality w


compromise

- 1998 Increasing the Production Capacity by Moving to New Plant
- 1999 Launch of Professional line of Washers and Dryers
- 2000 Launch of Heavy duty equipment
- 2003 (4th quarter) Acquisition by Andlinger & Co.
- 2004 Introduction of the Dryers

















Figures



1998 -**Production Area** 12.000 sq.m. **Number of Employees** 310 2001 -18.000 sq.m. **Production Area Number of Employees** 390 2004 -24.000 sq.m. **Production Area Number of Employees** 440 primus Quality without compromise







Washer-extractors

RS range - Rigid mounted, normal spin washer-extractors

- XS range Rigid mounted, high spin washer-extractors
- **Prange -** Freestanding, high spin washer-extractors
- FS range Freestanding, high spin washer-extractors

MB range - Freestanding, high spin medical barrier washer-extractors







RS Range

Rigid mounted, normal spin washer-extractors



Features:

- spin speed 450 510 RPM
- G factor 80 133
- no suspension






XS Range

Rigid mounted, high spin washer-extractors



Features:

- spin speed 625 750 RPM
- G factor 200 235
- no suspension



primus





P Range

Professional freestanding, high spin washer-extractors





FS Range

Freestanding, high spin washer-extractors





FS Range

Freestanding, high spin washer-extractors



FS 40

FS 55



FS 120

Features:

- spin speed 720 830 RPM
- G factor 350 373

- suspension






MB Range

Freestanding, high spin, medical barrier washer-extractors





- **DAM range -** Professional Dryers
- **Trange -** Industrial Tumble Dryers new range

Quality without

D range - Industrial Dryers





DAM Range

Professional Dryers

	H.	· 1	
1			
=		==	=

DAM 5 electrical heating



DAM 9 electrical, gas heating



DAMT 9 electrical, gas heating







T Range

Industrial Tumble Dryers



T 11 13 13/13 16

T 24 35 electrical, steam, gas heating





D Range


Industrial Dryers



D 55 77 steam, gas heating







- 125 30 range Professional Flatwork Ironers Chest heated
- 135 50 range Commercial Flatwork Ironers Cylinder heated
- IR range Commercial Flatwork Ironers pass through version
- **IF range -** Commercial Flatwork Ironers with Length Folding
- IFF range Commercial Flatwork Ironers with Feeding, Length and Cross Folding, Stacking

Quality w





125 - 30 Range

Professional Chest heated Flatwork Ironers



Features:

I 25 \emptyset 25 cm length: 100, 120, 140 cm

l 30 Ø 30 cm length: 160, 200 cm

- return feed

125 - 130







135 - 50 Range

Industrial Cylinder heated Flatwork Ironers



Features: I 35 Ø 35 cm length: 140,160, 200, 250 cm

I 50 \varnothing 50 cm length: 200, 250, 320 cm

- return feed

| 35 - | 50





IR Range

Industrial Pass Through Flatwork Ironers

Quality without



Features: IR 50 \varnothing 50 cm length: 200, 250, 320 cm

- cylinder heated
- front or rear return

IR 50





IF Range

Industrial Flatwork Ironers with Length Folding



Features:

IF 50 \varnothing 50 cm length:200, 250, 320 cm

- cylinder heated
- front return
- length folding

IF 50

- rear return optional





IFF Range

Industrial Flatwork Ironers with Feeding, Length and Cross Folding, Stacking



Features: IFF 50 \varnothing 50 cm length: 200, 250, 320 cm

- cylinder heated
- front or rear return, feeding
 + length folding standard
- cross folding and stacking optional

IFF 50

- primus



Primus: a Global Player



laundrettes



hotels



multi-housing



health care



nursing homes



industry



restaurants



ships



army











Nursing home laundry











Coin - op Shop















Hospital Laundry















Hotel Laundry












Primus at Your Service

Quality without

Professional Project Department

- Projects
- Consultancy
- Laundry planning








primus

Primus at Your Service

Aftersales Department

- Primus Technical Bulletins
- Technical consultancy
- Technical training
- Installation and service
- Spare parts deliveries







Quality

- Extended quality control
- Tested with linnen
- Stress tests

Safety

- Extended number of approvals
- High safety in production process
- Safe operation









Durability

- Long life span
- Made for industrial use
- Oversized components





Design

- Stainless steel identity
- Easy to read microprocessors
- Big door openings





Uniformity

- The same look throughout

the range

- Uniformed controls
- A 'family' of products

Flexibility

- Short and accurate delivery times
- Extended engineering department to react quickly to market demands
- Customer orientated









Global

- Worldwide presence
- Covering all market segments
- Multi lingual microprocessors



Full range

- Complete range of laundry equipment
- Covering capacities from 5 to 180 kg
- Pro active development of products









Quality without

Ecology

- Environmental friendly production facilities
- Low water and electrical consumption
- Advanced waste management







Visit us @ the Primus website

Several language versions:

English German French Spanish Italian Dutch Czech Russian



www.primuslaundry.com

